Pharmacists Council of Nigeria Pre-Registration Examination for Pharmacists (PEP)



**Fully Updated Test Questions** Worked Answer & Explantion



stcharlesedu.com

# PHARMACISTS COUNCIL OF NIGERIA (PCN) PRE-REGISTRATION EXAMINATION FOR PHARMACISTS (PEP) MARCH 23, 2019

## INSTRUCTIONS TIME ALLOWED: 2 HOURS & 15 MINUTES

- i. Ensure that your question paper and answer sheet option type match
- ii. Write your SERIAL NUMBER and EXAMINATION NUMBER on both the question paper & answer sheet
- iii. Shade the most appropriate option (a-d) on the template provided using 2B pencil
- iv. Submit both question paper and answer sheet at the end of the examination
- v. On no account should the question paper or part of it be taken out of the hall
- vi. Phones, Calculators & Smart Devices are not allowed

# QUESTIONS 1-200 ATTEMPT ALL

- TYPE A
- 1. Which of the following holistically captures pharmacists' role in health care?
  - (a) Distribution (b) Clinical Pharmacy (c) Pharmaceutical Care (d) Total Pharmacy care
- 2. How many components are there in pharmaceutical care philosophy as espoused by Hepler and Strand?
  - (a) Four (b) Three (c) Two (d) One
- 3. Pharmacists' responsibility in pharmaceutical care is to:
  - (a) Counsel patients
- (b) Dispense medications
- (c) Identify common symptoms
- (d) Resolve drug therapy problems
- 4. The most beneficial outcome of drug therapy to the patient is:
  - (a) Clinical (b) Economic (c) Humanistic (d) Process
- 5. "Length of stay" in a care facility is an example of which outcome?
  - (a) Clinical (b) Economic (c) Humanistic (d) Process
- 6. Which of the following outcomes in malaria therapy may result in resistance development?
  - (a) Clinical cure (b) Parasitological Cure (c) Radical Cure (d) None of the options
- 7. The "cornerstone" step in the provision of pharmaceutical care is to:
  - (a) Establish professional relationship
- (b) Collect patient data
- (c) Identify drug therapy problems
- (d) Document activities
- 8. Data collected through patient interview is often described as:
  - (a) Inaccurate (b) Accurate (c) Subjective (d) Objective
- 9. One of the following is regarded as a novel pharmaceutical care behavior:
  - (a) Monitor patient outcomes (b) Obtain patient symptom information
  - (c) Make a recommendation (d) Obtain patient medication history
- 10. Which of the following components of quality is the most important to the patient?
  - (a) Structure (b) Process (c) Outcome (d) Structure and Process

- 11. Process criteria in pharmaceutical care are divided into: (a) Structure and Process (b) Technical and Interpersonal (d) Manual and Computerized. (c) Subjective and Objective 12. Pharmacoeconomics provides evidence for health care decisions in terms of: (a) Clinical efficacy (b) Patient Safety (c) Medication Effectiveness (d) Value for money 13. Effectiveness of medicinal products is determined in: (a) Laboratory evaluation (b) Clinical trial (c) Real world (d) Post-marketing surveillance 14. Which of the following is not correct regarding drug therapy problems: (a) Medical problem (b) Negative outcome (c) Amenable to detection (d) None of the options 15. Drug related needs of patients include the following **EXCEPT**: (a) Appropriate indication (b) Effectiveness (c) Safety (d) Treated indication 16. An asthmatic patient was given propranolol for palpitations. The potential drug therapy problems are: (a) Unnecessary drug therapy and untreated indication (b) Wrong drug and adverse drug reaction (c) Inappropriate adherence and dosage too high (d) Wrong drug and non-adherence 17. Pharmacists communicating with patient should **NOT**: (a) Appear relaxed (b) Use gestures (c) Use 100% eye contact (d) Be positioned at patients' eye level 18. "How do you take your antihypertensive medication?" Is an example of: (a) Open ended question (b) Close ended question (c) Leading question (d) Direct question 19. Pharmacist-patient communication should avoid this question type: (a) Open ended (b) Close ended (c) Leading (d) Probing 20. The procedure used to evaluate structures lying 4-5 cm under the skin is called: (a) Inspection (b) Palpation (c) Percussion (d) Auscultation 21. Beta-blocker induced bradycardia is physically assessed using: (a) Inspection and Palpation (b) Auscultation and Percussion (c) Palpation and Auscultation (d) Percussion and Palpation
- 22. One of the following is a direct method of assessing adherence:
  - (a) Pill count (b) Urine assay (c) Refill record (d) Measurement of health outcome
- 23. Patient adherence is an example of intermediate:
  - (a) Clinical outcome (b) Humanistic outcome (c) Economic outcome (d) None of the options
- 24. Strategies to improve adherence include the following **EXCEPT**:
  - (a) Promote self-efficacy (b) Empower patients (c) Fear tactics (d) Telephone call

25.	. The first stage in developing collaboration be	• •
		rofessional recognition
	(c) Exploration and trial (d) C	ommitment to collaboration
26.	. Characteristics of the pharmaceutical care pr (a) Inconsistent (b) Intangible (c) Invent	
27.	. When marketing pharmaceutical care, which the marketing of pharmaceuticals?  (a) Promotion <b>(b) Position</b> (c) Product (d)	of the following Ps is in addition to those encountered in
28.	. Factors necessitating individualized pharmaceutical care in the elderly include the following <b>EXCEPT</b> :  (a) Multiple diseases (b) Polypharmacy (c) Adherence (d) Physiological changes	
29.	<ul><li>Off-label medication use is:</li><li>(a) Applicable to children only</li><li>(c) Due to pediatric formulary</li></ul>	(b) Unlicensed indication (d) All of the options
30.	Patient-focused intervention in hypertension includes the following <b>EXCEPT</b> :  (a) Education (b) Adherence promotion (c) <b>Dosage adjustment</b> (d) Low salt diet	
31.	<ol> <li>Which of these interventions is beneficial in congestive heart failure?</li> <li>(a) Moderate smoking (b) Moderate alcohol (c) Moderate exercise (d) All of the options</li> </ol>	
32.	• • • • • • • • • • • • • • • • • • • •	o: ight ventricular hypertrophy eripheral edema
33.	<ul> <li>Medications with known evidence to improve survival in cardiac failure include the following EXCEPT:</li> <li>(a) ACEIs (b) Spirinolactone (c) Digoxin (d) None of the options</li> </ul>	
34.		al infarction should be given aspirin to:  Sissolve thrombus  Ill of the options
35.		n: lood pressure asting lipid profile
36.	. Which of the following may be an additional (a) Insulin (b) Metformin (c) Lisinopril	
37.	. Which of the following drugs may lower seru (a) Cimetidine (b) Carbamazepine	m phenytoin level? (c) Metronidazole (d) Fluconazole
38.	<ul> <li>Some antihypertensive agents affect potassit</li> <li>(a) Lisinopril → hyperkalemia</li> <li>(c) Enalapril → hypokalemia</li> </ul>	um levels. Which option is wrongly matched? (b) Losartan → hyperkalemia (d) Hydrochlorothiazide → hypokalemia

# **Pharmacists Council of Nigeria PCN PEP Exam Past Questions**

# How to Buy/Download PCN PEP Past Questions

To get the complete copy of the **PCN PEP Past Questions and Answers** that includes the following subjects.

# Call or Whatsapp me on 08051311885

### PAYMENT PROCEDURE FOR THE SOFT-COPY

After payment of the said amount for the Soft-Copy into any of the Bank Account I will send to you on request.

Send an sms in this format stated below to this mobile/whatsapp number 08051311885.

Depositor Name (your full name)

Teller no:

Email address:

Services Paid for:

ATM, POS, Mobile and Online Money transfer also accepted.

### **DELIVERY ASSURANCE**

We will send the past question to your email address within 10mins after confirmation of payment.

#### ALSO AVAILABLE

**WAEC Past Questions** 

**NECO Past Questions** 

**NABTAB Past Questions** 

Post-UTME Past Questions

School of Nursing Past Questions

Nigeria Navy Past Questions, Polac Past Questions

TRCN Past Questions and Answers

Download Free Past Questions

**Pharmacy Internship Past Questions** 

**Pharmacy Pep Exam Past Questions** 

**Pharmacy Professional Exam In Nigeria** 

**Pre Registration Exam For Pharmacist**